



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed

07.01.2016

revision

22.09.2014 (GB) Version 1.2

WEICON WP Hardener

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product

WEICON WP Hardener

Code-Nr. 104902

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

2-Component Epoxy Resin - Hardener Component

1.3. Details of the supplier of the safety data sheet

Distributor

WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Postbox 48045, DE-8460 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322 - 244

E-Mail : msds@weicon.de

Internet : www.weicon.de

Advice

Produktsicherheit / Product-Safety-Department

Phone ++49(0)251 / 9322 - 0

E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

GIZ Bonn (German, English) Tel: ++49(0)228-19 240

TRANSPORT: Consultank Lutz Harder GmbH Tel: +49(0)178

433 7434 (24h Emergency Contact)

Manufacturer

WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

Emergency advice

-

Phone -

GIZ Bonn (Medizinische Auskunft in Deutsch und Englisch)

Tel: ++49(0)228-19 240

TRANSPORT: Consultank Lutz Harder GmbH Tel: +49(0)178

433 7434 (24h Emergency Contact)

! SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

| Hazard classes and Hazard categories | Hazard Statements | Classification procedure |
|--------------------------------------|-------------------|--------------------------|
|--------------------------------------|-------------------|--------------------------|

| | | |
|---------------|------|--|
| Skin Corr. 1B | H314 | |
|---------------|------|--|

| | | |
|--------------|------|--|
| Skin Sens. 1 | H317 | |
|--------------|------|--|

| | | |
|-------------------|------|--|
| Aquatic Chronic 3 | H412 | |
|-------------------|------|--|

Hazard Statements

H314

Causes severe skin burns and eye damage.

H317

May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS05



GHS07

! Signal word

Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P102 Keep out of reach of children.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container to hazardous or special waste collection point.

! Hazardous ingredients for labeling

3-aminomethyl-3,5,5-trimethylcyclohexylamine, Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines, m-xylylendiamin

2.3. Other hazards

! Information pertaining to special dangers for human and environment

Risk of serious damage to eyes.

! Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**! SECTION 3: Composition/ information on ingredients****3.1. Substances**

not applicable

3.2. Mixtures**! Hazardous ingredients**

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|------------|-----------|---|------------|--|
| 80-05-7 | 201-245-8 | 4,4'-isopropylidenediphenol | < 1 | Repr. 2, H361f / STOT SE 3, H335 / Eye Dam. 1, H318 / Skin Sens. 1, H317 |
| 100-51-6 | 202-859-9 | benzyl-alcohol | 1 < 10 | Acute Tox. 4, H332 / Acute Tox. 4, H302 |
| 140-31-8 | 205-411-0 | 2-piperazin-1-ylethylamine | < 1 | Acute Tox. 4, H312 / Acute Tox. 4, H302 / Skin Corr. 1B, H314 / Skin Sens. 1, H317 / Aquatic Chronic 3, H412 |
| 2855-13-2 | 220-666-8 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | 1 < 10 | Acute Tox. 4, H312 / Acute Tox. 4, H302 / Skin Corr. 1B, H314 / Skin Sens. 1, H317 / Aquatic Chronic 3, H412 |
| 109-55-7 | 203-680-9 | N,N-dimethyl-1,3-diaminopropane | < 1 | Flam. Liq. 3, H226 / Acute Tox. 4, H302 / Skin Corr. 1B, H314 / Skin Sens. 1, H317 |
| 1477-55-0 | 216-032-5 | m-xylylendiamin | 1 < 10 | Acute Tox. 2, H332 / Acute Tox. 2, H302 / Skin Corr. 1B, H314 / Skin Sens. 1, H317 / Aquatic Chronic 4, H412 |
| 68410-23-1 | 614-452-7 | Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines | 10 < 25 | Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Eye Dam. 1, H318 / Aquatic Chronic 2, H411 |

REACH

| CAS No | Name | REACH registration number |
|-----------|--|---------------------------|
| 100-51-6 | benzyl-alcohol | 01-2119492630-38-xxxx |
| 2855-13-2 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | 01-2119514687-32-xxxx |

! SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.

! In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

! In case of skin contact

In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

! In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

! In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed**! Physician's information / possible symptoms**

vomiting

Respiratory complaints

Allergic symptoms

Skin burns

Nausea



skin irritation

! Physician's information / possible dangers

allergic reactions

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

! SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3. Advice for firefighters

! Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

! Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

! For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

After taking up the material dispose according to regulation.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8



! SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.
Open and handle container with care!

General protective measures

Avoid contact with eyes and skin
Do not inhale gases/vapours/aerosols.

! Hygiene measures

At work do not eat, drink and smoke.
Remove soiled or soaked clothing immediately.
Wash hands before breaks and after work.

! Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking
Protect from heat and sunlight.
Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

! Advice on storage compatibility

Do not store with acids.
Do not store together with animal feedstuffs.
Do not store together with food.
Do not store together with oxidizing agents.

! Further information on storage conditions

Keep container tightly closed and store at cool and aired place.
Protect from direct solar radiation.
Store in a dry place.
Protect from heat/overheating.

7.3. Specific end use(s)

! Recommendation(s) for intended use

See section 1.2

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

| CAS No | Name | Code | [mg/m ³] | [ppm] | Remark |
|---------|------------------------------|---------|----------------------|-------|--------|
| 80-05-7 | Bisphenol A (inhalable dust) | 8 hours | 10 | | |

! Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

! Respiratory protection

If ventilation insufficient, wear respiratory protection.

! Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Neopren; 480min.
In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed

07.01.2016

revision

22.09.2014 (GB) Version 1.2

WEICON WP Hardener

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

! Other protection measures

protective clothing

! Appropriate engineering controls

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

! SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

pasty

Colour

grey

Odour

similar to amine

Odour threshold

not determined

Important health, safety and environmental information

| | Value | Temperature | at | Method | Remark |
|---------------------------------------|---------------------------|-------------|----|--------|-------------------|
| pH value | ca. 11 | 20 °C | | | 1:1 in water |
| boiling point | not applicable | | | | |
| Melting point / Freezing point | not determined | | | | |
| Flash point | > 100 °C | | | | |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | | | | | No data available |
| Flammability (gas) | | | | | No data available |
| Ignition temperature | | | | | No data available |
| Self ignition temperature | | | | | No data available |
| Lower explosion limit | | | | | No data available |
| Upper explosion limit | | | | | No data available |
| Vapour pressure | not determined | | | | |
| Relative density | ca. 2,2 g/cm ³ | | | | |
| Vapour density | not determined | | | | |
| Solubility in water | | | | | partially soluble |
| Solubility/other | not determined | | | | |



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.01.2016

revision 22.09.2014 (GB) Version 1.2

WEICON WP Hardener

| | Value | Temperature | at | Method | Remark |
|--|----------------|-------------|----|--------|--------|
| Partition coefficient n-octanol/water (log P O/W) | not determined | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity dynamic | ca. 500 mPa*s | 25 °C | | | |
| Viscosity kinematic | not determined | | | | |
| Oxidising properties No information available. | | | | | |
| Explosive properties No data available | | | | | |
| 9.2. Other information No information available. | | | | | |

! SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactions with damp air.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Reactions with acids.

Reactions with oxidising agents.

10.4. Conditions to avoid

Keep away from heat.

High air humidity

10.5. Incompatible materials**! Substances to avoid**

Acid

Oxidising agent

Moisture.

10.6. Hazardous decomposition products

Gases/vapours, corrosive

Gases/vapours, toxic

Carbon monoxide and carbon dioxide.

Nitrous oxides (NOx)

Thermal decomposition

Remark No decomposition if used as directed.

**! SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity/Irritation/Sensitization**

| | Value/Validation | Species | Method | Remark |
|------------------------------|------------------|---------|--------|-------------------|
| LD50 acute oral | | | | No data available |
| LD50 acute dermal | | | | No data available |
| LC50 acute inhalation | | | | No data available |
| Skin irritation | strong corrosive | | | |
| Eye irritation | strong corrosive | | | |
| Skin sensitization | sensitizing | | | |

Subacute Toxicity - Carcinogenicity

| | Value | Species | Method | Validation |
|------------------------------|-------|---------|--------|-------------------|
| Subacute Toxicity | | | | No data available |
| Subchronic Toxicity | | | | No data available |
| Chronic Toxicity | | | | No data available |
| Mutagenicity | | | | No data available |
| Reproduction-Toxicity | | | | No data available |
| Carcinogenicity | | | | No data available |

Specific target organ toxicity (single exposure)

No data available

Specific target organ toxicity (repeated exposure)

No data available

Aspiration hazard

No data available

! Experiences made from practice

Corrosive effect on skin and mucous membrane.

Sensitization through skin contact possible.

Causes corrosions.

! Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.



! SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

| Value | Species | Method | Validation |
|----------------|---------|--------|-------------------|
| Fish | | | No data available |
| Daphnia | | | No data available |
| Algae | | | No data available |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

! General regulation

Harmful to aquatic life with long lasting effects.

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

! SECTION 13: Disposal considerations

13.1. Waste treatment methods

! Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR |
|---|--|--|--|
| 14.1. UN number | 2735 | 2735 | 2735 |
| 14.2. UN proper shipping name | AMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine) | AMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine) | Amines, liquid, corrosive, n.o.s. (3-aminomethyl-3,5,5-trimethylcyclohexylamine) |
| 14.3. Transport hazard class(es) | 8 | 8 | 8 |



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed

07.01.2016

revision

22.09.2014 (GB) Version 1.2

WEICON WP Hardener

| | ADR/RID | IMDG | IATA-DGR |
|---|---------------------------|------|----------|
| 14.4. Packing group | III | III | III |
| 14.5. Environmental hazards | No | No | No |
| 14.6. Special precautions for user | No information available. | | |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | not applicable | | |
| Land and inland navigation transport ADR/RID | | | |
| Hazard label(s) | 8 | | |
| tunnel restriction code | E | | |
| Classification code | C7 | | |

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0 %

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

! SECTION 16: Other information

! Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.1

| | |
|-------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H361f | Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |